

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 6 1445 ROSS AVENUE, SUITE 1200 DALLAS TX 75202-2733

FEB 2 1 2012

Mr. James H. Welsh, Commissioner Office of Conservation Louisiana Department of Natural Resources P.O. Box 94275 Baton Rouge, LA 70804-9275

CERTIFIED MAIL -- RETURN RECEIPT REQUESTED 7010 1060 0002 1871 8341

Dear Mr. Welsh:

This letter transmits EPA's end-of-year (EOY) evaluation of Louisiana's Underground Injection Control (UIC) program for Fiscal Year 2011 (FY11). Region 6 UIC oversight staff reviewed the FY11 program accomplishments with Mr. Joe Ball of your staff on November 2, 2011, during a teleconference. My staff was unable to travel to your offices this fiscal year because of limited federal travel funds. Mr. Ball commented on our draft EOY evaluation on January 11, 2012, and those comments are incorporated as appropriate.

Oversight of State UIC programs remains a priority for Region 6. I commend your staff in effectively meeting or exceeding FY11 UIC grant workplan program targets in all tracked activities.

If you wish to discuss any aspect of this EOY evaluation, call me at (214) 665-7100, or your staff may call Mr. Philip Dellinger at (214) 665-8324. If your staff has specific questions about UIC grant performance, please contact Mr. Michael Vaughan at (214) 665-7313 or Mr. Mike Frazier at (214) 665-7236 for questions regarding EPA's program oversight.

Sincerely yours.

William K. Honker, P.E.

**Acting Director** 

Water Quality Protection Division

Enclosure

cc:

Joe Ball, OC/IMD Director, w/encl.

Laurence Bland, OC/IMD Assistant Director, w/encl.



# YORSE A WORTGESTOWN OF A THEM TO MAKE THE COST OF THE

3105 1 2 897

The farmer Market Commissioner

Office of Commission of Commissioner

I make may Department of Commission of Commission

Office of Commission of Commissioner

The conference of Commissioner of Commissioner

The conference of Commissioner of Commissioner

THE BOTH AND LONG TO THE SELECTION OF SHIP IN THE PARTY OF SHIP IN THE PARTY OF THE

make the bill meet a

This tester managers for brack Year (BLYY) evaluation of the average and toposition of the compact of the property of the second of the second

Greenwich of State CDC programs conseque a mounty for Respon 6. I comment your stall in effectively meeting or exceeding PV LEWE green wedgelen program targete in all mount services.

If you wish to discuss my majors of this 10.37 contention, call one at (2.14) rich-31.05, or your staff may only his Padlig Delfinger at (2.14) 605-51.24. If your staff has specific questions should DE years performed please on one life blocked Vaughan at (2.14) 605-7313 or life Wide Bratter at (2.14) 605-7315 for quantum recording id (3.55) was recording id (3.55).

CONTRACTOR OF THE PARTY OF THE

Tradeol J medity

Acting Director

Water Country Property On his or

And the state of t

# FISCAL YEAR 2011 END-OF-YEAR REVIEW LOUISIANA DEPARTMENT OF NATURAL RESOURCES (LDNR) OFFICE OF CONSERVATION UNDERGROUND INJECTION CONTROL (UIC) PROGRAM

#### EXECUTIVE SUMMARY

This oversight report details the significant accomplishments of Louisiana's Office of Conservation (OC) Injection Mining Division (IMD) in meeting the fiscal year 2011(FY11) UIC grant workplan commitments between July 1, 2010 and June 30, 2011. EPA oversight discussion is presented in the second part of this annual evaluation required in the State/EPA Primacy memorandum of agreement between our agencies. The State UIC program met or exceeded all reporting and targeted field activities within the annual State UIC grant workplan. Included in the UIC grant workplan for the past several years, the fiscal year 2012 (FY12) grant workplan again includes submission of a program revision package for the State Class II program.

#### FY11 UIC GRANT END-OF-YEAR ACCOMPLISHMENTS:

<u>FY11 STAG Funding</u>—The federal FY11 grant allotment for the State of Louisiana's UIC program administered by the OC is \$351,000 in UIC programmatic funds. This allotment was awarded as the annual State and Tribal Assistance Grant (STAG) to OC during FY11.

<u>Workplan Deliverables</u>—Table 1 identifies State program updates and other deliverables submitted pursuant to the FY11 STAG UIC grant workplan. IMD staff submitted to Region 6 all deliverables as mandated in the above referenced workplan. In addition, Table 2 shows the degree of accomplishment for selected program activities targeted in the FY11 UIC grant workplan. LDNR's efforts on these fundamental program activities continue to be impressive.

### FISCAL YEAR 2012 (FY12) WORK PLAN NEGOTIATIONS:

Quality Assurance Annual Update—Pursuant to regulatory requirements and policies of EPA, all environmental programs conducted on behalf of EPA will establish and implement effective quality systems. The Quality Management Plan (QMP) and Quality Assurance Project Plan (QAPP) must be updated annually. If both the QMP and QAPP are current and valid, EPA requires each state to annually certify that both plans are current by submitting updated signatory pages and organizational charts as applicable. As part of the FY10 STAG UIC grant workplan, OC staff committed to submit to Region 6 annual quality assurance certifications and new signatory pages before the expiration dates. The current QMP [QTRAK #11-376] was approved by Region 6 on August 16, 2011, and will expire on July 7, 2012. The current QAPP [QTRAK #11-184] was approved by Region 6 on March 23, 2011 and will expire on March 23, 2012.

FY12 UIC STAG Grant Allocation—LDNR was awarded \$351,000 in FY2011; this was the final UIC allocation amount for FY2011. No UIC Special Project funds were awarded to LDNR in FY11.

Table 1. Grant deliverables in FY11 UIC Workplan.

| Grant Deliverable  | Due Date  | Date Received  |
|--|---|--|
| Quarterly Reports (EPA Forms 7520)<br>and Compliance Order Tracking Report   | January 31;<br>April 30; July 31;<br>October 31 | Submitted on schedule  |
| FY12 Grant Application   | May 1, 2011                                     | Application Received—<br>April 18, 2011  |
| FY12 Grant Workplan  | May 1, 2011                                     | Workplan Received—<br>April 18, 2011<br>Approved—<br>April 19, 2011                  |
| Final Financial Status Report (FY11)   | September 30, 2011                              | Received & Approved<br>September 13, 2011  |
| Annual UIC Program Report (FY10)   | July 30, 2011                                   | July 21, 2011  |
| Update on Program, Regulatory or<br>Statutory Changes  | July 30, 2011                                   | July 21, 2011  |
| Par OC design PVII  To propose updates and where delicerable  In 1941) and extension to the Country of delicerable | QMP   | Received—July 14, 2011<br>Approved—<br>August 16, 2011<br>Expires—July 7, 2012       |
| Annual QMP/QAPP Updates*   | QAPP  | Received—<br>March 22, 2011<br>Approved—<br>March 23, 2011<br>Expires—March 23, 2012 |
| UIC Well Inventory for FY11  | December 31, 2011                               | December 29, 2011  |

<sup>\*</sup> The Quality Management Plan (QMP) and Quality Assurance Project Plan (QAPP) are updated annually for tracking any program modifications, concurrences, and/or organizational changes.

<u>Table 2.</u> FY11 Workplan Target and End-of-Year Accomplishments, Program activities and end-of-year level of accomplishment for grant related activities.

| Program Activity                   | Well Class           | FY11<br>Target | Actual<br>End-of-Year<br>Values | Target %  |  |
|------------------------------------|----------------------|----------------|---------------------------------|-----------|--|
| MI INVESTIGATION IN                | I ugus OMI ed gol Le | 21             | 36                              | Over 100% |  |
| MITs<br>(PART I and II)            | II (SWD & EOR)       | 800            | 1,084                           | Over 100% |  |
|                                    | II (Storage)         | 15             | 18                              | Over 100% |  |
|                                    | III                  | 15             | 15                              | 100%      |  |
| ROUTINE<br>INSPECTIONS             | I madam (trag-aw)    | 78             | 83                              | Over 100% |  |
|                                    | II (SWD & EOR)       | 2,000          | 2,859                           | Over 100% |  |
|                                    | II (Storage)         | 40             | 95                              | Over 100% |  |
|                                    | III CAT OUT          | 20             | 28                              | Over 100% |  |
| WITNESSED<br>MITs<br>(PART I only) | I                    | 78             | 78                              | 100%      |  |
|                                    | II (SWD & EOR)       | 1,200          | 1,519                           | Over 100% |  |
| COMPLIANCE                         | I                    | 36             | 36                              | 100%      |  |
|                                    | II (SWD & EOR)       | 500            | 632                             | Over 100% |  |
| REVIEWS **                         | II (Storage)         | 35             | 35                              | 100%      |  |
|                                    | III                  | 25             | 26                              | Over 100% |  |

#### PROGRAM OVERSIGHT DISCUSSION:

State Class II UIC Program Revisions—The Safe Drinking Water Act requires EPA to assure that all State UIC Primacy programs remain effective in protecting underground sources of drinking water. Since many aspects of the State UIC program have changed since the last EPA approved revisions in 1995, submission of a Class II program revision was included as a deliverable in the Louisiana UIC grant workplan for several past fiscal years, including FY2010 and FY2011, and

again in the current FY2012. Therefore, we anticipate receiving a primacy program revision submission for Louisiana Class II injection program during State Fiscal Year 2012.

Class II MITs Performed Compared to UIC Well Inventory—In FY11, OC performed 1,084 two-part mechanical integrity tests (MITs) on Class II wells, including produced water disposal, enhanced recovery, and liquid petroleum storage wells. The first part of an MIT is an external evaluation of the potential for upward migration between the long-string casing and formation, typically an evaluation of a cement bond log by IMD engineer staff. LDNR's seven UIC field inspectors witness the second part MIT, typically a scheduled internal pressure test of the annular space between the tubing, packer, and long-string casing. As previously stated in Table 2, State UIC staff witnessed 1,519 one-part and performed 1,084 two-part MIT evaluations during FY11. Based on the 917 MIT difference between the 4,593 two-part Class II MITs performed during the last five years as compared to the 3.676 inventoried Class II wells for FY11, one can assume that every Class II well in Louisiana was likely evaluated for mechanical integrity at least once during the last five years as required by State UIC regulations.

<u>Table 3.</u> Number of Class II MITs (two-part) conducted between FY2002 and FY2011, annual inventory and variance between number of five-year MITs and annual inventory.

|  |       |       |       |            |            | 1          | T          |       |          | _     |
|--|-------|-------|-------|------------|------------|------------|------------|-------|----------|-------|
| Fiscal Year                                | 2011  | 2010  | 2009  | 2008       | 2007       | 2006       | 2005       | 2004  | 2003     | 2002  |
| Annual MITs<br>(Two-part)                  | 1,084 | 1,177 | 825   | 760        | 747        | 777        | 923        | 945   | 690<br>γ | 489   |
| Cumulative<br>MITs<br>Last five-<br>year Σ | 4,593 | 4,286 | 4,032 | 4,152      | 4,082      | 3,824      | 3,816      | 3,711 | 3,339    | 3,298 |
| Annual<br>Inventory                        | 3,676 | 3,731 | 3,058 | ε<br>3,020 | ε<br>3,004 | ε<br>2,930 | ε<br>3,111 | 3,137 | 3,139    | 3,086 |
| Variance<br>(MITs v.<br>Inventory)         | 917_  | 565_  | 974   | 1,132      | 1,078      | 894        | 705        | 574   | 200      | 212   |

 $<sup>\</sup>epsilon$  State UIC program well inventory of <u>testable Class II wells</u> as of end of state fiscal years, respectively.

\_ Variance based on State UIC program well inventory submitted for FY2012 grant formula calculation; 2010 Class II inventory value include UIC-14 disposal wells which are not included in reported UIC MIT values for FY11.


 $<sup>\</sup>gamma$  Low value partially a result of resignation of an engineering staff member as reported in State annual UIC report, FY 03.


The OC Injection and Mining Division (IMD) historically reports the total UIC well inventory by the various classes of injection/disposal wells as requested by EPA near the end of each calendar year, last reported on December 29, 2011.

Well Inventory v. Annual Reporting—The Louisiana UIC well inventory values reported since fiscal year 2001 are shown by well class in Chart 1. Chart 2 compares the Class II well inventory to the number of Class II UIC well annual operator reports submitted annually since 2001; most Class II well operators submit the required annual reports the Spring following the calendar year reporting period.

For the past three years, the Class II well inventory has been above the reported value in 2001, with a decreasing value since FY2009 when the well inventory again included UIC-14 permits for disposal of reserve pit fluids. UIC-14 operators are required to report daily and at the conclusion of operations, but are not required to report annual UIC-10 forms. IMD mailed 3,148 reporting forms to 577 operators in February 2011. As of June 30, 2011, IMD received 3,144 completed Forms UIC-10, a 99% return rate and an increase from 96% of operators in calendar year 2009. LDNR continues to focus program efforts toward operator compliance with monitoring and reporting requirements.

Chart 1. Well Class UIC Well Inventory FY2001-FY2011





Permitting and Enforcement Actions—In submitted EPA Form 7520-1 for the FY11 reporting period between October 1, 2010, and September 30, 2011, LDNR received 22 Class I, 944 Class II. 45 Class III, and 173 Class V permit applications. The Class II permits included all Class II permits. including workovers, recompletions, conversions, mud pit disposal into production well annuli, enhanced recovery and saltwater disposal permits. During the same reporting period, the State program issued new permits for one Class I, 322 Class II, three Class III, and 115 Class V permits and reporting 74 Class II permit applications withdrawn or denied. Historically, Chart 3 depicts the number of Class II permit applications received, issued, or withdrawn or denied as reported by OC in the annual State UIC Program report based on State fiscal year values. More specifically, Chart 3 values represent applications/permits for only saltwater disposal wells while the corresponding reported permit values on EPA Form 7520-1 include all permits for the federal FY11 reporting period. During the same reporting period, over 3,000 wells within the fixed quarter-mile area of review of Class II injection well applications were reviewed for necessary corrective action. Of those reviewed wells, LDNR identified over 400 Class II wells for corrective action consideration; typical corrective action includes formation pressure monitoring and migration potential (MIGPOT) determination. In addition, injection volume and/or pressure limits may also be used as corrective action.

Also from FY11 7520 forms, LDNR staff inspected 36 Class I, 1,884 Class II, 28 Class III, and no Class V wells, with the largest percentage of mechanical integrity failure in the Class II arena. Approximately 13 percent of the Class II tests in FY11 (154 of 1,219 casing and tubing pressure tests) indicated failed mechanical integrity. Previous failure rates in FY10, FY 09, FY08, and FY07

were 16%, 9%, 7%, and 9%, respectively. The percentage of pressure test failures since FY07 range between 7%-16% as expected for Class II injection wells. Only one mechanical integrity test (MIT) failure was reported for 80 Class I well tests in FY11.

UIC violations occurred in only four separate Class I wells (two MIT failure and two monitoring and reporting violations), 363 Class II wells, including 171 reported MIT failures. LDNR staff typically shut-in any well that fails MIT. State reports indicate that LDNR addressed all reported violations with corresponding enforcement action, including notices of violation, administrative orders, and well shut-ins (166 Class II wells shut-in).

Chart 4 shows assessed and collected penalty amounts since fiscal year 2001. The State program reported collecting \$58,000 in civil penalties in FY11, an increase from \$25,400 collected in FY10.

Chart 3. Class II Permit Activities FY2001-FY2011




Table. 4


## Louisiana Underground Injection Control Program Injection / Disposal Well Inventory June 30, 2010

| Well<br>Class | Well Type   | Description                         | Wells Under<br>Construction | Wells Active | Wells<br>Temporarily<br>Abandoned<br>or Orphaned | Wells<br>Plugged &<br>Abandoned |
|---------------|---|-------------------------------------|-----------------------------|--------------|--|---------------------------------|
|               | Industrial Ha                                     | zardous Waste                       | 0                           | 15           | 1  | 51                              |
| 1             | Industrial NonHazardous Waste                     |                                     | I manth me                  | 21           | 0  | 31                              |
|               | Saltwate  | er Disposal                         | 77                          | 2,625        | 141  | 3221                            |
|               | Enhanced  | Enhanced Oil Recovery               |                             | 504          | 7  | 1105                            |
|               | Reserve Pit Disposal                              |                                     | 0                           | 500          | 0  | 0                               |
| 2             | Hydrocarbon<br>Storage in<br>Salt Dome<br>Caverns | Crude Oil                           | 0 1                         | 88           | 0  | 4                               |
|               |   | Liquefied<br>Petroleum Gas<br>(LPG) | 0                           | 91           | 1  | 14                              |
|               |   | Natural Gas                         | 4                           | 26           | 0  | 2                               |
| 3             | Mineral Solution Mining                           |                                     | 13                          | 72           | 0  | 2644                            |
| 5             | All Other Wells                                   |                                     | 38                          | 144          | 0  | 210                             |
|               | SUBTO   | TAL ·                               | 152                         | 4,086        | 150  |                                 |

| TOTAL MELL MARKETTODY | 4 000 |
|-----------------------|-------|
| TOTAL WELL INVENTORY  | 4,388 |

Source: Louisiana Office of Conservation IMD for State FY11


Chart 4. Penalties and Fines FY2001-FY2011



Subsurface Injection of Drilling Wastes into Production Wells—Since FY2009, the state Injection and Mining Division has included information in annual reports to EPA about its UIC-14 permitting program, including the number of production wells authorized to dispose of reserve pit fluids via annular injection (injection between the surface and long-string casings). EPA recognizes and supports the state's Class II classification of disposal of drilling wastes into production wells. This renewed reporting parameter will assist EPA oversight of drilling waste disposal through fracture slurry injection into production wells. Chart 5 below shows the number of oil and gas production wells permitted between 2002 and 2011 and the number of corresponding State UIC-14 authorizations during the same period.

The number of drilling permits issued during FY11 increased approximately 13% while the number of annular disposal permits decreased proportionately by approximately 49%. Historically, the number of annular mud disposal permits issued each year has ranged from 21% to 25% of the number of oil and gas wells permitted during that same period; for state FY 2011, the percentage is 12%, with 222 UIC-14 permits issued and 265 applications received. (Joe Ball, personal communication) Most likely, operators are recycling drilling muds or re-using the same drilling fluids to drill multiple wells; many shale-gas production wells are drilled horizontally in different directions from the same drill site.

Chart 5. Permitted Oil and Gas Wells versus Authorized Drilling Waste Disposal into Production Wells FY2002-FY2011



Oversight Travel and File Reviews Suspended for FY11—EPA Region 6 experienced significant decrease in travel budget funding during FY11 as the entire federal government experienced budget shortfalls. Therefore, no travel funds were available to perform onsite program visits to the State UIC offices or to accompany State UIC inspectors during field exercises. EPA will again review UIC well files for tracked wells in FY12 as travel funds and program resources become available.